Detailed Vehicle Specification Spec Sheet For

Tender # xxxx - 2021 (New) Full-size Half-ton 4x4 Emergency Equipped Truck

		Meets Requirements				
	Description	Yes No	Comments			
Power	train					
1	Minimum of 300hp (V8) - Gasoline only					
2	Block heater					
3	Minimum 220 amp alternator (factory)					
4	Minimum battery size: 650CCA					
5	Automatic Transmission					
6	4x4 capabilities					
7	Rear axle lock					
8	4WD auto capabilities					
Suspe	Suspension / Body					
	Factory off-road package which would include:					
9	Factory lift no more than 2", All terrain tires (Min R18					
	Size), Tow recovery hooks, Robust skid plates.					
10	Full-size cab (must have 4 doors)					
11	Factory sprayed in bedliner					
12	Factory installed storage compartments, either over the					
12	wheel well, or in the box.					
13	Factory installed tonneau cover (hard cover)					
14	Factory installed mud flaps (all 4 wheels)					
15	Exterior of vehicle must be white (2 tone permitted but					
15	majority must be white)					
16	Factory rear tinted windows (dark for security)					
17	Factory LED headlamps/Rear lamps					
	Factory installed Tow Group Package which would					
18	include: Tow/haul mode, Trailer brake controller, Tow					
	mirrors etc.					
19	Fog lamps (factory)					
20	Backup camera (factory)					
21	Parking sensors (front and rear)					

22	Coil or leaf suspension (no air suspension)				
Interior					
23	Black interior preferred (No two tones)				
24	Power windows & locks				
25	Power front cloth bucket seats				
26	Factory installed rubber floor mats				
27	No sunroof				
28	Side steps (factory)				
	(no power running boards must be fixed)				
	Ultra luxury items prohibited these would include: air				
29	conditioned front seats, massaging seats, leather seats,				
	heads up display (HUD) etc.				
30	Bluetooth hands free mobile controls				
31	A/C				
32	Max level 1 autonomous driving aids allowed. Level 2 - 5				
	autonomous driving features prohibited.				
Emerg	ency Vehicle Features (installed) - By original awarded bio	dder or 3rd	party of bi	dder's choice	
Equivo	alent if unable to obtain Fenix products - Fenix preferred				
33	(1) Fenix Fusion GPL 49" Lightbar (All red, 180 degree light disbursement, Standard universal mount, Front takedown, Alley lights, Rear work light)				
34	(2) Fenix rocker panel light bars (All red, 180 degree disbursement) - installed under each step				
35	(4) Fenix Fusion surface mounts (All red, 180 degree disbursement) - 2 installed in front grill, 2 installed on rear bumper				
36	(1) Fenix Storm pro 100W siren (mounted behind front grill)				
37	(1) Fenix Hammer 100W siren (mounted behind front grill)				
38	(1) Fenix 4200 DL controller				

	T T	
39	(3) Customer provided radios & antennas (installed)	
40	Emergency vehicle center console (Must have 4 slots for 3 radios and DL controller)	
41	La Ronge Fire Department reflective decal arrangement (current design of command fleet) - Picture to be provided. (must remove any original factory graphic decal that may be specific to any one model)	
42	Emergency vehicle reflective chevron covering the entire tailgate.	
Miscel	laneous	
43	Factory command start	
44	Dealer must include programmed 3 keys for the vehicle (keyless entry - Push button start allowed)	
45	Order line sheet to be provided	
46	Min Basic Powertrain warranty (5) years/150,000km or better.	
47	Min Basic warranty of (3) years/60,000km or better.	
48	Copy of warranty statement to be included	
49	Vehicle must be fully serviced upon delivery (Faults in workmanship and materials shall be repaired prior to delivery)	
50	Must state delivery date. When scheduled delivery is not met, or if there are delays in manufacturing, this may be considered sufficient cause to cancel this order.	
51	All taxes (tire tax included) must be included in the bid price. Any additional costs will not be paid.	
52	Out fitting costs will form part of overall cost evaluation	
53	Must provide pictures of the product being offered.	
54	Luxury model trims such as; Laramie's, Denali's, Lariats etc. are strictly prohibited.	

Ī		